

Rectangular Pipes / Rectangular Hollow Section (RHS)

Rectangular Pipes are made as "cold formed" from hot-rolled and semi-bright (pickled hot / cold rolled) steel.

End Uses	Civil engineering, construction, machinery, agricultural equipment, conveyors, cranes, marine, containers, etc.
Sizes	15mm x 25mm up to 82mm x 145mm
Wall thickness	1.6mm to 7.0 mm
Length	up to 9 mtrs
Pipes ends	Plain & Beveled
Surface Finish	Black (Self-colored and semi-bright), Outside mill protective coating & pre-galvanized
Packing	Bare bundles, unless special packing required (jute, hessian cloth, etc.) or as requested
Inspection	Mill's certificate or inspection by an independent inspection agency/ organization, as required by the customer
Test Performed	As per ISI standards

Rectangle Hollow Sections IS 4923 - 1997

Size (MM)	Wall Thickness(mm)	Weight(kg/m)
50 X 25	2.90	2.98
	3.20	3.24
60 X 40	2.90	4.12
66 X 33	2.90	4.07
	3.60	4.93
	4.50	5.95
70 X 30	2.90	4.12
	3.20	4.50
	4.00	5.45
80 X 40	2.90	5.03
	3.20	5.50
	4.00	6.71
96 X 48	3.20	6.71
	4.00	8.22
	4.80	9.66
100 X 50	3.20	7.01
	4.00	8.59
122 X 61	3.60	9.67
	4.50	11.88
	5.40	14.01
127 X 50	3.60	9.34
	4.60	11.89
145 X 82	4.80	15.92
	5.40	17.74
172 X 92	4.80	18.71
	5.40	20.88

